DétruiRAT® Mini-Prise 6.000 V

DétruiRAT® Mort ou Vif 6.000 V



DétruiRAT
Référence modèle : DétruiRAT® Mini-Prise 6 000 V

DC12V ⎓ 2,5A 30.0W
Fabriqué en Belgique
Eureka-Concept srl
rue Houssière, n°1 à 7911 Frasnes-lez-Anvaing

DétruiRAT.com
Pièges pour rats et souris

Manual in English and Nederlands

Scan me

Important safety instructions.

⚠ WARNING. Risk of fire, explosion, radiation, rodent contamination, radiation, electrocution and serious injury.

Before using this device, carefully read the instructions and warnings in this manual and on the device. When using an electrical device, certain basic precautions should be followed, including the following. These warnings apply to the device and, where applicable, to all parts, accessories, chargers, or AC adapters.

Risk of explosion and fire: do not use in rooms or near areas containing chemicals, liquids and flammable or combustible products such as petrol, or in areas where vapours from these products may be present. Do not use in the presence of combustible and flammable materials such as straw, hay, feathers, down, paper, cardboard, wood, plastic, PVC, fabric, etc. After capture, electrocution occurs, causing sparks in the trap's electrocution chamber to kill the rodent.
Sparks between the electrodes could ignite nearby or surrounding products, fuels and flammable materials. Always disconnect the device before performing any work on it. If the electrodes are dirty, disconnect the device, wait 20 seconds and clean to remove cobwebs, dirt and/or any other deposits.

Risk of serious injury, radiation, contamination, radiation exposure and electrocution.

This appliance is not intended for use by children under 16 years of age or persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge, even if supervised.
Cleaning and maintenance by the user must not be carried out by children. Children must not play with the appliance.
This device may emit significant radiation and electromagnetic waves, so do not place it near electronic devices. People with pacemakers, cardiac implants, or other similar devices are strongly advised not to approach the device when it is in operation. Never touch the device before reading the information on the digital screen. Electrocution or capture may be in progress, and if you disconnect the device, a rodent may escape. Whether dead or alive, never touch a rodent without protection, as they are carriers of many diseases and parasites. In case of contact, their urine can be dangerous to humans. In general, rodents will always flee, but if you are bitten or scratched, contact a doctor immediately and specify that it was a wild rodent.
Do not use the device in the presence of children. Do not place your hands or any other part of your body near the openings and moving parts of the device. Do not wet the trap and do not use it in the rain or in a damp place. Do not insert anything into the trap, such as screwdrivers, wires, metal bars or other conductors. Never blow compressed air onto the device, as this may cause electrocution. Whether connected to the mains (230V-12V) or to a battery (12V), the 12V DC current is transformed into 6000 volts. Never touch the trap when it is connected. Before doing anything, disconnect all power sources and wait 20 seconds before proceeding. Do not modify the trap; only use the adapter supplied and recommended by the manufacturer. Do not place the trap in a milking parlour, bathroom, shower room, damp room, near a water source or near a swimming pool.
Do not use the device in the presence of birds, pets or any other animals. This device is designed to trap and eliminate rats and other harmful rodents. Do not use it near horses or any other fearful animals, as the sound of the trap closing could frighten them, and the trap could be trampled on and destroyed. Animals could be seriously injured or even electrocuted.



ICE 6047-6181 (2016-01) This device must be used with its separate power supply unit **!**

1. Operation of the DétruiRAT Mini-Prise and Mort ou Vif traps.



The DétruiRAT® Mini-Prise and Mort ou Vif traps are manufactured on the same basis and have identical programming: they can trap and electrocute a rat, mouse or any other rodent in a single night. The only difference is that the Mort ou Vif offers the option of capturing the animal, dead or alive.

When a rat enters the trap, an infrared barrier activates two electromagnets that cause the two doors to close in less than 120 milliseconds. Trapped, the rat tries to escape and heads towards the electrocution chamber where it receives a 6,000 V shock, electrocuting it instantly and painlessly. The conduit leading to the electrocution chamber has an internal diameter of 75 mm. Mice, young rats, adult rats and dominant rats can easily squeeze through to the electrocution chamber. Hedgehogs, pigeons, chickens, adult cats and other animals that are too large to pass through this 75 mm conduit will not be electrocuted and will remain in the trap. **Exercise extreme caution with your pets** such as kittens, chicks, birds or any other animals, as the trap does not discriminate and will electrocute any animal or bird that can reach the electrocution chamber. **DétruiRAT® traps cannot differentiate between protected animals and other rodents.**

After trapping and electrocuting a bird, the Maxi-Prises automatically reloads after five minutes and has no limit on the number of captures. It stops trapping once the container is full.


2. Bird protection mode



The traps have a **bird protection mode**. If you move the slider to the left in "Bird Protection" mode, the trap will automatically stop at dawn and resume operation at dusk. This prevents birds from being trapped during the day. Despite this safety feature, if there is a proven risk of trapping birds or pets, opt for the **DétruiRAT®** Mort ou Vif trap set to the "alive" position. After a capture, if you wish, you can release the captured animal or bird, and if you have trapped a rodent, you can turn the lever to the "Dead" position: it will be electrocuted as soon as it reaches the electrocution cell.


If the trap has caught something during daylight hours or in sufficient light, a beep will alert you. **Follow the instructions displayed on the screen**. You can remove the carcass without touching it using a spade or dustpan.

3. Activating the DétruiRAT trap



Each trap is supplied with a 230 V - 12 V DC adapter. **Never use another adapter or an adapter from another type of DétruiRAT® trap**, as each type of **DétruiRAT®** trap has its own type of adapter.

The 230 V - 12 V DC adapter has a 2-metre cord and is located in the battery compartment. Connect the male cord of the adapter to the female cord of the trap. The battery door is located on the upper right side of the trap. To access the battery, lift this door. At the battery location, in the rear wall, you will find a hole for passing the cord to the back of the trap, thus preventing the cables from dragging on the ground or on the front of the trap.



Once the power supply is connected, press the electromagnet pivot and manually lift both doors. The electromagnet pivot allows you to close and lock the door. Be careful not to place bait under the door, as this may prevent the door from locking.



To activate the trap, turn the lever to the right to position 1. The lever is an integral part of the door that gives access to the electrocution chamber. It is used to activate the trap and lock access to the electrocution chamber. The trap has two safety features, one resting on the front of the electrocution chamber and the other activated by the lever when the trap is locked. Turning the lever a quarter turn to the right to position 1 activates the trap. A short beep followed by a second short beep will indicate that the trap has been activated correctly, and the screen will display 12 V. A long repetitive beep will indicate a fault. The digital screen will provide information about the problem. Before activating the trap, refer to the description of the beeps and information on the screen.



For the <u>Mort ou Vif</u> trap, by loosening the small wheel on the lever, you can set the lever to "dead" or "alive" mode. By default, the trap is set to "alive" mode.

4. **Digital display, audible beep and bird protection mode:**

The Mini-Prise and Dead or Alive traps are designed to eliminate rats. When connected, the display shows various data every 10 to 20 seconds, such as the supply voltage, whether bird protection mode is activated, whether there is an intruder inside, or whether a rat has been electrocuted.

The trap's electronics also signal if an infrared barrier is obstructed or dirty. In the event of a problem, the trap may shut down automatically. In daylight or if the lighting in a building is on, the trap emits a long beep every 10 to 20 seconds to signal a problem.

Two short beeps signal that a rat, mouse or other rodent has been electrocuted. When the trap emits a beep, it is recommended that you take action as soon as possible.

After two or three days, if you have not had to intervene on a trap, we recommend that you check the information on the digital screen.

Be sure to follow the instructions displayed on the screen before taking any action. You can remove the dead rodent without disconnecting the trap, but for any technical intervention, it is essential to disconnect all power sources to avoid the risk of electrocution.

The events displayed on the screen will automatically disappear when you switch off the trap. When the trap is switched on, for a few milliseconds, the trap will display R=the number of rats electrocuted and F=the number of detections or intruders since the trap was first switched on.

- **When the trap is switched on**, a series of checks will be carried out. For a few milliseconds, the digital screen will display:

R = Total number of electrocutions since the trap was first switched on. This indicates the total number of rodents you could have eliminated. These are usually rats and mice.

R	0	0	1	2	5

F = Number of false detections or intruders since the trap was first activated. The trap may be triggered by wind blowing straw, feathers, cobwebs, flies, etc. Avoid false detections to prevent premature wear and tear on the trap.
Intruders such as hedgehogs, pigeons, cats (too large to enter the75 mm tube), partially poisoned rats, and old rats that are unable to reach the electrocution chamber will remain in the trap.

F	0	0	0	0	5

During the check (approximately 2 seconds), the trap emits a short beep, closes and also checks the two infrared barriers IR1 and IR2. It then emits a short beep, displays "Ok" on the digital screen, and indicates a voltage of +-12.3V every 10 to 20 seconds, which means that the trap is armed and ready to capture. You must then manually lift both doors. If the trap displays "bird protection", it will be paused and will activate automatically in the dark.

If there is a long repetitive beep, check the message on the screen and disconnect the trap's power supply. 1 long beep = error(s) 2 short beeps = Rat(s), rodent(s) electrocuted. These signals are repeated every 10 to 20 seconds.


Problem IR1, IR2: If one or more infrared barriers are obstructed, the trap emits a long beep and the screen indicates the IR (IR1 or IR2) causing the problem. Remove whatever is obstructing the IR barrier or clean the IR guards with a soft cloth!

I	R	-	1,	2,	

- **When the trap is in operation:**

If the trap is powered by a 230V-12Vdc adapter, the screen displays +- 12.3 Volts.

If the trap is powered by a 12V battery, the screen will display 12.8V, for example. When the battery is low, from 11.7V onwards, the screen flashes 4 times every 10 to 20 seconds (you need to charge the battery), and at 11.4V, the trap shuts down and emits a long beep until action is taken.




Bird protection: If the slider is positioned to the left, after switching on, the trap screen will display 'Bird protection' every 10 to 20 seconds.


When the screen displays bird protection, it means that bird protection mode is activated.
To put the trap in bird protection mode, move the slider to the left. This will prevent birds from being captured during the day. The trap automatically stops at daylight or in the presence of light and resumes operation in the dark. When near a light source, the trap may remain paused and never start operating because the twilight sensor may think it is daytime.

When the trap is in darkness, after a few moments it will automatically start up and display the voltage. In the presence of a torch or any other source of light, the trap may pause again and display "bird protection".

Please note that in 24/7 mode (day and night function), you may trap birds during the day! Be careful and respect nature. Avoid placing the trap where there are birds. If there is a risk, set the trap to "bird protection" mode and do not use bait such as seeds or other items that may attract them!



Intruder or possible intruder 1 long beep every 10 to 20 seconds. If the trap makes a capture and there is no movement inside, the screen will display intruder or possible intruder. In principle, the trap could be triggered by wind blowing dust, straw, feathers and cobwebs. Spiders, flies or other insects could also cause false detections. Remedy the problems to prevent premature wear of the trap. If the trap refuses to restart, disconnect the power supply for 20 seconds and reconnect it.
If the trap has captured, for example, a hedgehog, pigeon, cat, old rat, poisoned rodent, etc., or any other animal that is too large (75 mm diameter) to climb up to the electrocution cell, it will need to be released. Avoid baits that could attract animals other than rodents!



1 RAT = Number of electrocutions. 2 long beeps every 10 to 20 seconds. You should have 1 rodent in the trap's electrocution chamber. Empty the electrocution chamber daily to prevent the proliferation of flies or other insects that could cause false detections! Bird protection mode could prevent this type of false detection during the day.



Danger capture. Trap closed: Caution, do not interfere or approach as there may be a rat in the trap.

D	A	N	G	E	R		c	a	p	t	u	r	e									

Electrocution hazard = Electrocution in progress. After 5 minutes, the trap will emit a beep to alert you that a rodent has been electrocuted. Before emptying the electrocution chamber, ensure that there is no movement in the tray.

D	A	N	G	E	R		E	L	E	C	R	R	O	C	U	T	I	O	N

The beep and twilight sensor.

Please note that if you cover the twilight sensor, the bird protection mode will not be activated.

The twilight sensor controls the operation of the beep sound and bird protection mode. The beep is only activated in the presence of natural light or any nearby light source.

How does the beep work and how can it be deactivated? During the day or in the presence of light, the beep attracts your attention so that you can quickly intervene on the trap. In the dark, the beep is deactivated.

If you do not want to hear the beep, for example, to avoid disturbing a small farm or other, you can place a black sticker (thick or double) on the face of the twilight sensor, located under the bird protection mode slider. This will block the twilight sensor from light, and the audible signal will not sound.

However, please note that if the twilight sensor is covered with a sticker, the bird protection mode will not work, as the twilight sensor will always be protected from light.

Furthermore, by covering the twilight sensor, you will not be alerted in the event of a problem or capture, which could result in rats decomposing in the trap. This could generate false detections, cause premature wear and tear, and the decomposing rats could damage the trap.

5. How to place DétruiRAT® traps?



- Choose a suitable location: Find a suitable place to set the trap. Avoid sloping ground; the trap must be placed on a perfectly flat and solid surface so that a rat cannot dig underneath it and escape.



- Avoid gaps between the floor and the trap: Ensure that there are no gaps between the floor and the trap, as even small gaps allow rats or small rodents to escape.



- Use a solid support surface: As DétruiRAT® traps do not have a base, you will need to use a support plate if the ground is uneven or porous. You can use a hardwood or marine plywood board, a concrete slab, or a metal plate. This surface must be at least 22 cm wide so that the edges of the trap rest properly on the plate.



- Ensure the plate is long enough: The support plate should be at least 120 cm long to provide adequate surface area for the trap. It should extend at least 25 cm on either side of the trap tunnel entrance so that the rat or rodent walks on the plate before reaching the trap entrance, making them less wary.



- Protect the trap from the elements: DétruiRAT® traps are not designed to be exposed to rain. Be sure to protect them from the elements by placing them in a sheltered location.

These precautions are essential to maximise the effectiveness of DétruiRAT® traps and increase your chances of safely capturing rats and rodents.

6. How do you put bait in DétruiRAT® traps?

Place your trap about 20 cm from the desired location and make sure it is aligned with the trail of bait you will place on the ground. Start by spreading the bait in a line or thin layer 10 to 15 cm wide over a length of about 1.6 metres. There is no need to use too much bait, as the rats may become satiated before they reach the trap door.

Once the bait is in place, lift the trap and position it over the bait. You can put a little more bait at the entrance to the trap and in the centre, where the trap will be placed.

In principle, once you have set the trap, the bait should extend beyond each end of the trap by approximately 50 cm. This will allow the rats to eat the food while slowly approaching the trap until they are caught.

A few guidelines:

- Be careful not to use bait larger than 1.2 cm in diameter or a layer of bait thicker than 1.2 cm. This could obstruct the infrared barriers and cause the trap to malfunction.

- Also, be careful not to place bait directly under the doors. If an animal is caught, the doors may remain ajar (see video).

- Be careful not to touch the food you place in the traps. Use a bowl or ingredient scoop to handle the food, and make sure the tool is clean and does not alter the taste of the bait, so that the rats are not disturbed by your scent on the food.

7. What bait should you use?

The best baits are foods that rats are accustomed to eating in their environment.

After five years of research, trapping over 3,000 rats, viewing thousands of videos and testing different baits in various environments, we discovered that the best baits are foods that rats are accustomed to eating where they live.

Rats tend to avoid unfamiliar food, as anything unknown to them seems potentially dangerous. They have an excellent sensory and olfactory memory, which means they can detect changes in their environment, including new smells or flavours. When they detect an unknown substance, they may instinctively mistrust it to avoid poisoning themselves. In addition, rats have the ability to quickly learn to avoid certain substances that have caused them problems in the past. If a rat has been poisoned before or has seen other rats in its group being poisoned, it will become even more wary of any suspicious food.

During our research, and knowing that rats are capable of eating anything, we tried different types of bait: peanut butter, chocolate, spread, powdered milk, fishing bait, a variety of seeds, fish-, poultry- and meat-flavoured dog and cat food, corn, fruit, vegetables, meat, fish (natural, smoked or salted), eggs, cheese, pork fat (lard), barbecue sauces, flavoured meat, and other substances likely to attract them. It must be said that the perfect bait is still the food they eat every day in their environment. A versatile bait would consist of muesli (a mixture of flakes, cereals and dried fruit) that is as inexpensive and natural as possible.

For example, at cattle feed manufacturers, we noticed that rats are particularly fond of one type of feed: a mixture of molasses-based cattle feed. Using this bait, we were able to trap a large number of rats, mainly on farms where this feed was given to cattle. When we changed locations, we were never able to trap a single rat with this bait, which seemed miraculous to us!

Other tips:

- Avoid using perishable foods: they could attract flies, trigger false detections, and you will have to replace them regularly.
- Be aware that rats are finicky eaters: they always seek out the best food, the food they are familiar with and that is as fresh as possible. If you manage to eliminate their usual food source, they will be more inclined to eat whatever is available, and you will have a better chance of trapping them successfully.
- If you are a private individual and you have canaries or a few farmyard animals, use the food you give your birds or animals as bait, such as muesli (a mixture of flakes, cereals and dried fruit) that is as cheap and natural as possible. This approach to baiting rats is versatile and works well.

8. How to trap rats: **three methods for trapping rats effectively.**

8.1. Preventative trapping: If there are no rodents present, place unbaited traps along walls and near entrances for effective prevention. It is much easier to trap rats and other rodents preventatively, when they are searching for new territories. As they are not yet familiar with the area, they will be less wary of traps. DétruiRAT® traps have been specially designed to resemble their natural environment. A rat looking for a new place to live may even think that a DétruiRAT® trap could serve as a refuge to protect it from predators. It is advisable to leave the traps in place even when there is no rodent activity, as this makes them easier to trap.

8.2. In the event of an infestation of rats or other rodents, use DétruiRAT® Maxi-Prises traps: If you notice droppings, a strong smell of urine, or if you see rats during the day or in the evening, this may indicate a rodent infestation. In this case, it is imperative to react quickly, as you may be facing a rat infestation. If you see droppings of different sizes, this means that there are several generations of rats, and therefore a considerable number of rats. Place the traps along walls and in other places where rats are likely to travel. Rat burrows are always located as close as possible to their food source. If you know where it is, place a trap nearby with a thin layer of their favourite food, the kind they usually eat in your home. If you do not know where it is, be aware that their nests can be found in bags of wood shavings, bales of straw or hay, piles of logs, cardboard boxes, under pallets and in any storage area or place where they feel isolated and safe. Do everything you can to prevent rats from accessing your pets' food or any other food supplies.

8.3. Be smarter than rats, trap them indoors and outdoors: in less than a year, we trapped more than 1,000 rats during tests carried out at one of our customers' premises (rats reproduce very quickly, so their nests multiply exponentially). Company managers began by eliminating places where rats could nest inside buildings and, thanks to DétruiRAT® traps, quickly trapped and eliminated them. They then worked to prevent rats from outside from entering the buildings, as the large, hungry rats had begun to attack the foundations and doors. Several traps were then placed outside the buildings, resulting in massive catches. In addition, to deter rats from damaging the buildings, we left small openings for them to pass through and installed DétruiRAT® Maxi-Prises traps just in front of them. To enter, they had to pass through the traps. In one Maxi-Prises trap, we managed to catch 16 rats in one night using this strategy. Another night, using other traps, we caught 33 rats. The following nights were quieter, suggesting that the rats had been driven out or had left in search of other, less hostile territories. Remember, however, that as long as there are rats in your environment, the problem will not be solved. Rats will always return and may even use old burrows. That's why you should never leave a DétruiRAT® trap inactive. They must always be ready to operate, even in the absence of rodents.



Please feel free to share any methods you use to effectively trap rats. Despite our research and testing, there is still much to learn about these rodents in order to achieve mass captures.

9. Take action and develop your rodent control plan. Afsca and other standards.

Cancel your pest control contracts and design your own rodent control plan using DétruiRAT traps. By following our advice, it's quite simple and you'll make significant savings while achieving clean and effective results quickly. DétruiRAT traps are environmentally friendly and do not use poison. In order not to interfere with the proper functioning of DétruiRAT traps, avoid using poisons or any other derivatives.

In Europe, other countries, including islands, and other continents, laws impose obligations regarding rodent control, notably the AFSCA, the Federal Agency for the Safety of the Food Chain in Belgium.

DétruiRAT traps meet the requirements of many laws and regulations on rodent control. Refer to the standards in force in your region or country and establish your pest control plan using DétruiRAT traps.

Maintaining the traps will only take a few minutes of your time. Once installed, in the morning, in daylight or when you turn on the lights in your business, traps that have caught pests will emit a repetitive audible signal, and the digital screen will display events such as the number of rats eliminated. All you have to do is dispose of the carcasses. Unlike poison and other rodent control systems, there is no risk of contaminating food supplies or having decomposing carcasses in inaccessible places.

Follow our advice and you will be able to easily draw up your rodent control plan. Depending on the extent of the rodent infestation in your business, choose the locations where you will place the DétruiRAT traps. How to trap rats and where to place the traps.

Also choose the number of traps and the models you are going to place. How many traps should I place?

On a map or sketch, mark the locations where the DétruiRAT traps are placed, noting the type of trap. This will help agents quickly locate the traps during an inspection. **Also note the bait you have placed in the traps.** What bait to use in DétruiRAT traps.

In your rodent control plan file, **include a copy of the invoices for the DétruiRAT traps** and also add copies of **all invoices or documents proving the efforts you have made to control rodents. Sign and attach the DétruiRAT trap operating certificate.** This certificate is provided with the traps and is specific to DétruiRAT traps.

The DétruiRAT trap operation certificate must be included in the rodent control prevention plan so that the inspector can verify that the traps are working properly. This document must be completed and signed by the manager or person(s) responsible for trap maintenance.

Follow the information on our website and watch our videos. In less than an hour, you will learn all about DétruiRAT traps, how to install them, and what bait to use.

10. Maintenance of DétruiRAT traps.

DétruiRAT traps require little maintenance, but you should never place them in areas exposed to rain or moisture. If you need to service the trap, please disconnect all power sources. The trap is powered by 12 V, but a transformer increases the voltage to 6000 V! You could be at risk of electrocution.

When handling the traps, it is recommended that you wear gloves, but make sure that they are not impregnated with any products and that they do not give off any odour. Avoid impregnating the traps with any odour that could make the rats wary.

Depending on where the traps are used and their environment, dust or other elements may accumulate. If you hear a continuous beep and IR1, IR2 or IR3 appears on the digital display when you activate the DétruiRAT traps, remove the interfering element that is obstructing the infrared barrier. If the problem persists, clean the infrared guards by wiping them with a clean, unscented, slightly damp cloth, and remove any nests, spider webs, etc. You can remove the infrared cover to clean the inside properly, including the infrared LEDs.

Avoid applying any lubricant to the trap parts, as oil or grease could accumulate dust, preventing the doors and mechanism from closing properly and causing premature wear. If dust accumulates in the slides despite following the recommendations, carefully remove it with a cotton bud, stick or plastic rod, taking care not to scratch the slides and doors. The smell of some lubricants may repel rodents and render the trap completely ineffective.

If the quarter-turn locking and start/stop lever on the traps is rusted, use WD-40 penetrating oil with caution. Place a cloth under the seized part and spray the minimum amount necessary to loosen it.

For the "DétruiRAT Vif", "Mini Prise" and "Mort ou Vif", if a door remains stuck, clean the slides and if the problem is due to the electromagnets, remove the two small screws inside the tunnel to remove the electromagnet cover and inject a minimal amount of WD-40 by activating the electromagnet pivot. Wipe off any excess.

Electrocution problem: For the Maxi-Prise trap, it is crucial that the number of rodents electrocuted corresponds to the number displayed on the screen. Otherwise, an electrocution problem could occur. Disconnect the trap and clean the four electrodes with a brass wire brush or metal sponge. Check the cable located below the electrocution cell on the left-hand side.

To access the interior, disconnect the trap's power supply and remove the tray. In the trap, where the tray is located, on the left, there is a half-moon-shaped opening in the metal plate. There is a pivot that you can operate to turn it halfway. Doing so will open or close the two doors and the electrocution chamber. This pivot also allows you to check whether there is any stiffness in the trap mechanism. In the correct position, this will make it easier for you to clean the four electrodes. To do this, please wear clean, odourless gloves and a mask to avoid inhaling dust. When brushing the electrodes, hold the back of the electrocution cell plate so as not to put pressure on the mechanism's connecting rods.

For Mini-Prise and Mort ou Vif traps, simply disconnect the trap's power supply, unlock the front of the electrocution chamber, open it and clean the electrodes. Be careful not to damage the infrared sensors inside the trap.

11. Safety of DétruiRAT® traps

If you follow our recommendations, the traps will destroy pests without any danger to users. All traps have two safety devices to prevent electrocution: one is built into the central part of the trap. If the rat collection tray is not in place, the trap will not work, and the other safety device is activated by the lever when the trap is locked.

12. Recycling the device

The packaging is made entirely from environmentally friendly materials. The cardboard can be placed in a paper recycling bin. The packaging film must be taken to your local recycling centre.

When you no longer use the device, dispose of it in an environmentally friendly manner and in accordance with legal guidelines.

13. Lithium battery

You must recycle batteries in accordance with the legislation in your place of residence. Collection points for batteries are generally available at sorting and recycling centres, supermarkets and other public places.

Eureka-Concept srl
rue houssière, n°1
7911 Frasnes-lez-Anvaing
Belgium
VAT: 0862.995.241
Email: info@detruirat.com

Certificate of conformity for the proper functioning of DétruiRAT traps:

A single certificate is sufficient for all DétruiriAT traps placed in your rodent control plan.
DétruiRAT traps feature state-of-the-art technology and programming that display events, detect problems and indicate that the trap is working properly.

The proper functioning of DétruiRAT Mini-Prise, "Mort ou Vif" and "Maxi-Prises" traps can be detected as follows:

- If the screen displays between 11.6V and 13.2V every 10 to 20 seconds.
- If the screen displays "bird protection" (the trap is off and will automatically turn on in the dark).
- If nothing is displayed on the screen, this means that the trap is off. Connect the trap and, in the event of a fault indicated by a long repetitive beep, follow the instructions displayed on the digital screen.

In order for the inspector to approve your rodent control plan, the maintenance manager(s) must be fully familiar with how DétruiRAT traps work and the recommendations for their use.

Date:

Name of authorised representative(s):

Signature: